

应用使用说明

INSTRUCTIONS FOR USE

适用墨水 Suitable ink systems

水性热升华墨水 Water-based dye sublimation inks.

适用领域 Applications

各种化纤织物，包括服装纺织，家居装饰，广告等领域。

All kinds of fabrics, including clothing, textile, home decor, advertising and other fields.

推荐使用规格 Recommended paper

① 快干系列: 29/35/40/45/55/63/70/75/80/85/90/95/100/120 GSM

② 粘性系列: 80/90/100 GSM

① Fast dry: 29/35/40/45/55/63/70/75/80/85/90/95/100/120 GSM

② Sticky: 80/90/100 GSM

转印条件 Transfer conditions

为获得最佳的转印效果，我们建议您在 200℃-230℃ 温度下转印 30-60 秒即可。

In order to obtain the best transfer effect, we recommend that you transfer at 200℃-230℃ for 30-60 seconds.

使用建议 Recommendations

① 上述转印温度及转印时间仅为一般性建议，由于每种面料的独特性，请务必在使用前进行测试。

② 产品在使用前请注意将打印环境控制在 20-30℃，40-60%RH 条件下。

③ 使用时请注意纸张的正反面，整个过程中请尽量避免手指与打印面的接触。

① The transfer temperature and time are only general recommendations. Due to the uniqueness of each fabric, please be sure to test before use.

② It is recommended to control the printing environment in 20-30℃, 40-60%RH condition.

③ Please pay attention to the front and back of the paper when using, the whole process please try to avoid finger contact with the print surface.

储存条件 Storage conditions

① 避免阳光直射；

② 仅在正常条件下（23℃，40-50%RH）以原始包装储存。

① Protect material from direct sunlight.

② Store material only in original package under normal climatic conditions （23℃，40-50%RH）.

使用说明

INSTRUCTIONS FOR USE

适用墨水 Suitable ink systems

水性热升华墨水
Water-based dye sublimation inks.

适用领域 Applications

经过涂层处理的各种硬质材料，如金属，木材，石材，陶瓷，玻璃，PVC，皮革等。
All kinds of hard materials after coating treatment, such as metal, wood, stone, ceramics, glass, PVC, leather, etc.

推荐使用规格 Recommended paper

- ① 速干系列：100/120 GSM
- ② A3/A4 系列：100/120 GSM
- ① Instant dry: 100/120 GSM
- ② A3/A4: 100/120 GSM

转印条件 Transfer conditions

对于大多数应用，为获得最佳的转印效果，我们建议转印温度为 190℃-210℃。转印时间取决于应用的尺寸，材料与形状，我们建议您在使用前，按照原承印物供应商的指示进行相应的测试。

For most applications, we recommend a transfer temperature of 190 °C -210 °C for optimal transfer results. The transfer time depends on the size, material and shape of substrate. We recommend that you perform appropriate tests as directed by the original substrate supplier prior to use.

使用建议 Recommendations

- ① 上述转印温度及转印时间仅为一般性建议，由于每种材料的独特性，请务必在使用前进行测试；
- ② 产品在使用前请注意将打印环境控制在 20-30℃，40-60%RH 条件下；
- ③ 使用时请注意纸张的正反面，整个过程中请尽量避免手指与打印面的接触。
- ① The transfer temperature and time are only general recommendations. Due to the uniqueness of each fabric, please be sure to test before use.
- ② It is recommended to control the printing environment in 20-30 °C, 40-60%RH condition.
- ③ Please pay attention to the front and back of the paper when using, the whole process please try to avoid finger contact with the print surface.

储存条件 Storage conditions

- ① 避免阳光直射；
- ② 仅在正常条件下（23℃，40-50%RH）以原始包装储存。
- ① Protect material from direct sunlight.
- ② Store material only in original package under normal climatic conditions （23 °C，40-50%RH）.

产品概述 Product overview

产品 Product	克重 GSM	平整度 Flatness	转印效果 Transfer effect	干燥速度 Drying rate	印刷适应性 Print ability	打印机分类 Printer category		
						高速工业 High speed industrial	大规格 Large format	小规格 Small format
FAST DRY	29	☆☆☆☆	☆☆☆☆	☆☆☆☆☆	☆☆☆☆	✓	✓	
FAST DRY	35	☆☆☆☆	☆☆☆☆	☆☆☆☆☆	☆☆☆☆	✓	✓	
FAST DRY	40	☆☆☆☆	☆☆☆☆	☆☆☆☆☆	☆☆☆☆	✓	✓	
FAST DRY	45	☆☆☆☆	☆☆☆☆	☆☆☆☆☆	☆☆☆☆	✓	✓	
FAST DRY	55	☆☆☆☆	☆☆☆☆	☆☆☆☆☆	☆☆☆☆	✓	✓	
FAST DRY	63	☆☆☆☆	☆☆☆☆	☆☆☆☆☆	☆☆☆☆	✓	✓	
FAST DRY	70	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	
FAST DRY	75	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	
FAST DRY	80	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	
FAST DRY	85	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	
FAST DRY	90	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	✓
FAST DRY	95	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	✓
FAST DRY	100	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	✓
FAST DRY	120	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	✓
STICKY	80	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆	☆☆☆☆☆	✓	✓	
STICKY	90	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆	☆☆☆☆☆	✓	✓	✓
STICKY	100	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆	☆☆☆☆☆	✓	✓	✓
INSTANT DRY	100	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	✓
INSTANT DRY	120	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	✓	✓	✓
A3/A4	100	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆			✓
A3/A4	120	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆			✓

星数越高性能越好；✓推荐适用打印机类型。
可定制其他宽幅，长度，卷形规格。
The more stars, the paper performs better; ✓ Recommended suitable printers.
Other widths, lengths and rolls can be customized.

产品 Product	克重 GSM	纺织物 Textiles				硬质材料 Hard substrates		
		服装纺织 Clothing textiles	家居装饰 Home decor	运动服装 Sports	软标牌 Soft Signage	图片板 Photos panels	工艺商品 Merchandise	室内建筑 Interior & Architecture
FAST DRY	29	✓	✓					
FAST DRY	35	✓	✓					
FAST DRY	40	✓	✓					
FAST DRY	45	✓	✓					
FAST DRY	55	✓	✓					
FAST DRY	63	✓	✓					
FAST DRY	70	✓	✓					
FAST DRY	75	✓	✓					
FAST DRY	80	✓	✓					
FAST DRY	85	✓	✓					
FAST DRY	90	✓	✓	✓				
FAST DRY	95	✓	✓	✓				
FAST DRY	100	✓	✓	✓	✓			
FAST DRY	120	✓	✓	✓	✓			
STICKY	80			✓				
STICKY	90			✓				
STICKY	100			✓				
INSTANT DRY	100	✓	✓			✓	✓	✓
INSTANT DRY	120	✓	✓			✓	✓	✓
A3/A4	100	✓	✓			✓	✓	✓
A3/A4	120	✓	✓			✓	✓	✓

✓推荐适用场景。

可定制其他宽幅，长度，卷形规格。

✓Recommended applications.

Other widths, lengths and rolls can be customized.